

# GCSE COMBINED SCIENCE: TRILOGY 8464/B/2H

Biology Paper 2H

Mark scheme

June 2019

Version: 1.0 Final



Mark schemes are prepared by the Lead Assessment Writer and considered, together with the relevant questions, by a panel of subject teachers. This mark scheme includes any amendments made at the standardisation events which all associates participate in and is the scheme which was used by them in this examination. The standardisation process ensures that the mark scheme covers the students' responses to questions and that every associate understands and applies it in the same correct way. As preparation for standardisation each associate analyses a number of students' scripts. Alternative answers not already covered by the mark scheme are discussed and legislated for. If, after the standardisation process, associates encounter unusual answers which have not been raised they are required to refer these to the Lead Assessment Writer.

It must be stressed that a mark scheme is a working document, in many cases further developed and expanded on the basis of students' reactions to a particular paper. Assumptions about future mark schemes on the basis of one year's document should be avoided; whilst the guiding principles of assessment remain constant, details will change, depending on the content of a particular examination paper.

Further copies of this mark scheme are available from aga.org.uk

# Information to Examiners

# 1. General

The mark scheme for each question shows:

- the marks available for each part of the question
- the total marks available for the question
- the typical answer or answers which are expected
- · extra information to help the Examiner make his or her judgement
- the Assessment Objectives, level of demand and specification content that each question is intended to cover.

The extra information is aligned to the appropriate answer in the left-hand part of the mark scheme and should only be applied to that item in the mark scheme.

At the beginning of a part of a question a reminder may be given, for example: where consequential marking needs to be considered in a calculation; or the answer may be on the diagram or at a different place on the script.

In general the right-hand side of the mark scheme is there to provide those extra details which confuse the main part of the mark scheme yet may be helpful in ensuring that marking is straightforward and consistent.

# 2. Emboldening and underlining

- 2.1 In a list of acceptable answers where more than one mark is available 'any **two** from' is used, with the number of marks emboldened. Each of the following bullet points is a potential mark.
- **2.2** A bold **and** is used to indicate that both parts of the answer are required to award the mark.
- **2.3** Alternative answers acceptable for a mark are indicated by the use of **or**. Different terms in the mark scheme are shown by a /; eq allow smooth / free movement.
- **2.4** Any wording that is underlined is essential for the marking point to be awarded.

# 3. Marking points

# 3.1 Marking of lists

This applies to questions requiring a set number of responses, but for which students have provided extra responses. The general principle to be followed in such a situation is that 'right + wrong = wrong'.

Each error / contradiction negates each correct response. So, if the number of error / contradictions equals or exceeds the number of marks available for the question, no marks can be awarded.

However, responses considered to be neutral (indicated as \* in example 1) are not penalised.

Example 1: What is the pH of an acidic solution?

[1 mark]

Student	Response	Marks awarded
1	green, 5	0
2	red*, 5	1
3	red*, 8	0

Example 2: Name two planets in the solar system.

[2 marks]

Student	Response	Marks awarded
1	Neptune, Mars, Moon	1
2	Neptune, Sun, Mars,	0
	Moon	

# 3.2 Use of chemical symbols / formulae

If a student writes a chemical symbol / formula instead of a required chemical name, full credit can be given if the symbol / formula is correct and if, in the context of the question, such action is appropriate.

# 3.3 Marking procedure for calculations

Marks should be awarded for each stage of the calculation completed correctly, as students are instructed to show their working. Full marks can, however, be given for a correct numerical answer, without any working shown.

### 3.4 Interpretation of 'it'

Answers using the word 'it' should be given credit only if it is clear that the 'it' refers to the correct subject.

### 3.5 Errors carried forward

Any error in the answers to a structured question should be penalised once only.

Papers should be constructed in such a way that the number of times errors can be carried forward is kept to a minimum. Allowances for errors carried forward are most likely to be restricted to calculation questions and should be shown by the abbreviation ecf in the marking scheme.

### 3.6 Phonetic spelling

The phonetic spelling of correct scientific terminology should be credited **unless** there is a possible confusion with another technical term.

### 3.7 Brackets

(.....) are used to indicate information which is not essential for the mark to be awarded but is included to help the examiner identify the sense of the answer required.

### 3.8 Allow

In the mark scheme additional information, 'allow' is used to indicate creditworthy alternative answers.

# 3.9 Ignore

Ignore is used when the information given is irrelevant to the question or not enough to gain the marking point. Any further correct amplification could gain the marking point.

# 3.10 Do not accept

Do **not** accept means that this is a wrong answer which, even if the correct answer is given as well, will still mean that the mark is not awarded.

# 4. Level of response marking instructions

Extended response questions are marked on level of response mark schemes.

- Level of response mark schemes are broken down into levels, each of which has a descriptor.
- The descriptor for the level shows the average performance for the level.
- There are two or three marks in each level.

Before you apply the mark scheme to a student's answer, read through the answer and annotate it (as instructed) to show the qualities that are being looked for. You can then apply the mark scheme.

### Step 1: Determine a level

Start at the lowest level of the mark scheme and use it as a ladder to see whether the answer meets the descriptor for that level. The descriptor for the level indicates the different qualities that might be seen in the student's answer for that level. If it meets the lowest level then go to the next one and decide if it meets this level, and so on, until you have a match between the level descriptor and the answer.

When assigning a level you should look at the overall quality of the answer. Do **not** look to penalise small and specific parts of the answer where the student has not performed quite as well as the rest. If the answer covers different aspects of different levels of the mark scheme you should use a best fit approach for defining the level.

Use the variability of the response to help decide the mark within the level, ie if the response is predominantly level 2 with a small amount of level 3 material it would be placed in level 2 but be awarded a mark near the top of the level because of the level 3 content.

### Step 2: Determine a mark

Once you have assigned a level you need to decide on the mark. The descriptors on how to allocate marks can help with this.

The exemplar materials used during standardisation will help. There will be an answer in the standardising materials which will correspond with each level of the mark scheme. This answer will have been awarded a mark by the Lead Examiner. You can compare the student's answer with the example to determine if it is the same standard, better or worse than the example. You can then use this to allocate a mark for the answer based on the Lead Examiner's mark on the example.

You may well need to read back through the answer as you apply the mark scheme to clarify points and assure yourself that the level and the mark are appropriate.

Indicative content in the mark scheme is provided as a guide for examiners. It is not intended to be exhaustive and you must credit other valid points. Students do **not** have to cover all of the points mentioned in the indicative content to reach the highest level of the mark scheme.

You should ignore any irrelevant points made. However, full marks can be awarded only if there are no incorrect statements that contradict a correct response.

An answer which contains nothing of relevance to the question must be awarded no marks.

Question	Answers	Extra information	Mark	AO / Spec. Ref.
01.1	hold a ruler (just) above the (open) hand of the other student	ignore near the hand	1	AO1 4.5.2
	drop the ruler and other student catches it	do <b>not</b> accept give verbal signal	1	
	record where the ruler is caught	ignore timing	1	
01.2	193.5		1	AO2 4.5.2
01.3	to compare the effect of no caffeine	allow as a control (group) allow to show the effect of caffeine do <b>not</b> accept control variable	1	AO3 4.5.2
		•		
01.4	0.217 (s)	allow any value in the range 0.2150 to 0.2180	1	AO2 4.5.2
01.5	as mass of caffeine increases the decrease / change in reaction time increases	allow converse	1	AO3 4.5.2
		ignore caffeine decreases reaction time		
		do <b>not</b> accept the greater the increase in reaction time the greater the mass of caffeine		
01.6	their reaction time was greater (after the drink)	allow converse allow slower / longer for greater	1	AO3 4.5.2
		do <b>not</b> accept anomalous result		

Question	Answers	Extra information	Mark	AO / Spec. Ref.
01.7	0.01(0) to 0.18(0)  or  0.18(0) to 0.01(0)  or  0.17(0)	allow values in range $0.008$ to $0.012$ and $0.178$ to $0.182$ allow correct calculation from values in range  if no values are given, allow answers in the range $0.166$ to $0.174$ allow $0.01 \le C \le 0.18$ ignore units	1	AO2 4.5.2
01.8	any two from:  (same range of) age (same) sex / gender (same) height / weight / BMI all had no caffeine / medication / drugs earlier that day equally tired or (same) amount of sleep practice of the ruler drop test starting point of ruler / hand same point to take measurement above / below the thumb / finger using the same hand (same) number of students in each group	allow height ruler dropped from  do <b>not</b> accept volume / concentration of caffeine	2	AO3 4.5.2
01.9	not automatic (because) it involves the (conscious part of the) brain	allow it is a voluntary action allow because it involves thinking / decision or conscious action	1	AO2 4.5.2
Total			13	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
02.1	methane	allow CH <sub>4</sub> <b>or</b> water (vapour) <b>or</b> H <sub>2</sub> O	1	AO1 4.7.3.5
		allow correct example such as CFCs, nitrous oxide, ozone		
02.2		ignore references to increased temperature and greenhouse gas / effect		
	any two from:  ice caps melting  rise in sea levels  desertification  extreme weather  change in species distribution  change in migration patterns  loss of biodiversity	allow storms <b>or</b> droughts <b>or</b> flooding  allow some species become extinct / endangered	2	AO1 4.7.3.5
	<ul> <li>coral bleaching</li> <li>crop failure or food insecurity</li> <li>loss of habitat qualified</li> </ul>	allow correct examples such as polar bears losing ice ignore forest fires		

Question	Answers	Mark	AO/ Spec. Ref
02.3	Level 2: Scientifically relevant facts, events or processes are identified and given in detail to form an accurate account.	4–6	AO1 4.7.2.2 4.4.1.1
	Level 1: Facts, events or processes are identified and simply stated but their relevance is not clear.	1-3	4.4.1.3 4.4.2.1
	No relevant content	0	
	Indicative content Photosynthesis  (carbon dioxide is) taken in through stomata / leaves (carbon dioxide is) used in photosynthesis to make glucose / carbohydrate (glucose used) to make other carbon compounds or named example such as proteins, lipids (glucose) stored as starch  Feeding plants are eaten / consumed by animals which use the carbon compounds to make other carbon compounds  Decay when plants / animals die they are decomposed / decayed by microorganisms which use the carbon compounds to make other carbon compounds		
	Respiration  • plants / animals / microorganisms respire  • (respiration) releases carbon dioxide back into the atmosphere  Level 2 answers must consider photosynthesis and at least one other process in the carbon cycle.  Level 2 answers must include some accurate detail.		
Total		9	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
03.1	vectors are used to insert genes into cells		1	AO1 4.6.2.4
	vectors are usually plasmids or viruses		1	
03.2	wheat not affected by spraying / herbicide	allow only weeds affected / killed by spraying / herbicide	1	AO1 AO2 4.6.2.4 4.7.1.1
	(so) wheat gets more light / water / nitrates / ions / minerals	allow less competition for light / water / nitrates / ions / minerals ignore nutrients ignore carbon dioxide ignore space	1	4.4.1.1
	(so) more photosynthesis / glucose / proteins (for more yield)	idea of more needed at least	1	
03.3	any <b>two</b> from:	once for mp 2 and 3	2	AO1
00.0	<ul> <li>production of human insulin</li> </ul>		_	4.6.2.4
	/ medicines • crops resistant to diseases / pests	allow examples such as potatoes resistant to blight		
	<ul> <li>crops resistant to frost</li> <li>crops resistant to drought</li> <li>crops / foods with added nutrients</li> </ul>	allow examples such as golden rice with vitamin A gene		
	<ul> <li>plants / crops with more / bigger fruits or higher yield</li> <li>crops with improved taste</li> <li>crops with improved shelf life</li> </ul>	allow examples such as larger tomatoes		

Question	Answers	Extra information	Mark	AO / Spec. Ref.
03.4	identify genes linked to (certain) disease	allow correctly named diseases such as cancer / diabetes	1	AO1 AO2 4.6.1.3
	so can lead to better prevention / treatment of that disease		1	
	or			
	identify genes causing inherited disorders (1)			
	so may prevent children being born with the disorder by using IVF <b>or</b> gene therapy (1)			
	or			
	tracing human migration patterns from the past <b>or</b> evolution of humans (1)			
	so to better understand the ancient history of humans (1)			
Total			9	

Question	Answers	Extra information	Mark	AO / Spec.
04.1	Male palm cockatoos  Hornet moth  Sea spiders  Function  all correct for 2 marks allow 1 mark for one or two correct additional lines from a box on the	oural onal ct line(s)	2	AO2 4.7.1.4
04.2	<ul> <li>any four from:</li> <li>growing on other plants means support to absorb more light (for photosynthesis)</li> <li>bright colours attract</li> </ul>	allow to obtain water / minerals / ions / glucose from the other plant ignore nutrients	4	AO2 4.7.1.4 4.7.1.1 4.4.1.1
	pollinators or bright colours attract insects to transfer pollen  • large quantities of pollen (increases the likelihood of pollen transfer) and so more seeds / reproduction	allow fertilisation for transfer of pollen		
	tiny / light seeds will travel long distances to grow in new areas	allow tiny / light seeds will travel away from competitors		
	many seeds mean many new plants so will out-compete other species	allow many seeds so more (orchids) will survive		

Question	Answers	Extra information	Mark	AO / Spec. Ref.
04.3	any <b>four</b> from:		4	AO2 4.7.1.4
	mutations for purple flower (in ancestral species)	allow genetic variation gives purple flowers		4.7.1.1 4.4.1.1
	isolation <b>or</b> change in environment e.g. area had more insects	allow purple orchid more suited to a new environment		
	(plants with purple flowers) survive and breed			
	(plants with purple flowers)     pass on allele / gene / DNA /     mutation	allow genetic material for allele		
	until they were so different they could no longer interbreed (with the ancestral species)	allow breed successfully for interbreed		
04.4	species <b>D</b>	must be an attempt at an explanation to gain this mark	1	AO3 4.6.4 4.6.1.3
	because it has the lowest number of amino acids different (in the sequence)	allow because it has the highest number of amino acids which are the same (in the sequence)	1	4.6.1.4
	because it has the lowest	allow because it has only one		
	number of differences in the sequence	difference in the sequence		
	or			
	only one / sixth amino acid is different	allow only the glycine / gly has been changed to tyrosine / tyr		
Total	1	1	12	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
05.1	repeat for another ten quadrats		1	AO3 4.7.2.1
	use a random method to place the quadrats		1	4.7.2.1
05.2		an answer of 4.8 x 10 <sup>5</sup> scores <b>5</b> marks		AO2 4.7.2.1
		an answer of 481 766.4 or 481 766 or 480 000 scores 4 marks		
		an answer of 15 744 × 4 × 7.65 scores <b>3</b> marks		
		an answer of 15 744 (m²) scores <b>2</b> marks		
	(area of field =) 62 × 164 + 164 × 68 ÷ 2 or equivalent		1	
	15 744 (m²)		1	
	15 744 × 4 × 7.65	allow use of incorrect area	1	
		allow $\frac{7.65}{0.25} \times 15744$		
	481 766.4	allow 481 766 <b>or</b> 480 000	1	
	4.8 × 10 <sup>5</sup>	allow incorrect calculation expressed correctly	1	

Question	Answers	Mark	AO/ Spec. Ref
05.3	<b>Level 3:</b> Relevant points (reasons / causes) are identified, given in detail and logically linked to form a clear account.	5–6	AO3
	<b>Level 2:</b> Relevant points (reasons / causes) are identified, and there are attempts at logical linking. The resulting account is not fully clear.	3-4	AO2
	<b>Level 1:</b> Points are identified and stated simply, but their relevance is not clear and there is no attempt at logical linking.	1–2	AO1
	No relevant content	0	
	Indicative content		
	trees over / in field		4.7.1.1
	(which) reduce light for photosynthesis		4.7.1.2 4.7.1.3
	(so) fewer daisies there		4.7.1.3 4.4.1.1
	trees over / in field		4.4.1.1
	(which) take water / nitrates / ions from the soil		
	(so) fewer daisies there		
	trampling on sports pitches		
	(will) kill plants		
	(so) fewer daisies there		
	competition from plants / grasses on field		
	(will) use up water / nitrates / ions / space		
	(so) fewer daisies there		
	gardener may water / fertilise / mow field		
	(which provides) more water / nitrates / ions		
	(so) more / fewer daises grow there		
	more insects / disease / animals in some areas		
	(may) eat / kill plants		
	(so) fewer daisies there		
	school buildings		
	(which) reduce light for photosynthesis		
	(so) fewer daisies near school		
	pollution / toxins from vehicles on roads		
	(which will) reduce growth		
	(so) fewer daisies near roads		
	wrong pH or lack of ions or poor drainage or poor / wet / dry		
	soil in some areas		
	(which will) slow growth     (co) fower decision there		
	(so) fewer daisies there Level 3 answers must refer to several factors in accurate detail		
Total		13	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
06.1	regulation / control / maintenance of internal conditions (of a cell / body)	allow keeping the internal conditions (of a cell / body) the same	1	AO1 4.5.1
	for optimum (cell / enzyme activity)	allow description of optimum functioning (of cell / body)	1	
06.2	glucagon	correct spelling only	1	AO1 4.5.3.2
06.3	<ul> <li>any two from:</li> <li>fasting blood glucose is higher than normal range</li> <li>reached a very high concentration after glucose drink</li> <li>did not return to normal after 3 hours</li> <li>or</li> <li>fell slowly after reaching peak.</li> </ul>	allow ± half a small square for	2	AO3 4.5.3.2
	comparison to normal ranges given for any of the above points	values quoted from the graph  ignore references to person A	·	
06.4	(person A has Type) 2 (pancreas) producing (lots of) insulin but body cells cannot respond to it.	allow cells becoming resistant to insulin for respond to insulin. do <b>not</b> accept the person has become resistant to insulin	1	AO3 4.5.3.2
	(person B has Type) I (pancreas) not producing enough insulin (to control concentration of glucose in the blood)		1	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
06.5	starving children have used up their glycogen stores	allow starving children have no / low glycogen stores	1	AO1 AO2 4.4.2.1
	(so) would need (liver enzyme) to release glucose from fats		1	4.5.3.2
	as enzyme is stopped from working they get low / no glucose	allow no working enzyme leads to hypoglycaemia	1	
	(cell) respiration is insufficient (so they die)	allow starving children use proteins to release energy (which leads to death)	1	
	children that are not starving have glycogen stores in liver / muscle	(	1	
	(so) glucagon will continue to release glucose (into the blood for them)		1	
Total			14	